

# SAFETY DATA SHEET

**Issue Date** 

Date 6-July-2021

Version 1

# **1. IDENTIFICATION**

#### **Product identifier Product Name**

EZ Armor Extended Cure - Part B

## Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against **Concrete Coating** No Data

Details of the supplier of the safety data sheet Manufacturer Address Concrete Technology Inc. 8770 133rd Ave N. Largo, FL 33773

## Emergency telephone number

**Company Phone Number** 800-447-6573 24 Hour Emergency Phone Number 800-424-9300 (United States & Canada), International Call: 1-703-527-3887

# 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Hazardous to the Aquatic Environment - Short Term (Acute) Hazard Category 2 Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	


## Label elements

**Emergency Overview** 

## Danger!

## Hazard statements

- H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H401 Toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.



# Precautionary Statements - Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P30I+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P302+P352 If on skin: Wash with soap and water.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove (Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

P305+P351 +P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

P308+P313 If exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

## **Precautionary Statements - Response**

Collect spillage Call a POISON CENTER or doctor/physician if you feel unwell IF IN EYES Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: IF ON CLOTHING Immediately call a POISON CENTER or doctor/physician Remove/Take off immediately all contaminated clothing Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF INHALED Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED Rinse mouth IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Absorb spillage to prevent material damage Collect spillage

#### **Precautionary Statements - Storage**

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up. Store in corrosive resistant/.? container with a resistant inner liner

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/regional/national regulations.

# Hazards not otherwise classified (HNOC)

## **Other Information**

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
(propylene glycol) bis(2-aminopropyl ether)	9046-10-0	70 - 90	*
1,3-Cyclohexanedimethanamine	2579-20-6	7 - 15	*
Benzyl alcohol	100-51-6	7 - 15	*

The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## **Description of first aid measures**

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance. First responders should wear gloves and protection.	
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTER or seek medical attention.	
Skin contact	Immediately call a POISON CONTROL CENTER or seek medical attention. Avoid direct contact and wear chemical protective clothing, if necessary. Immediately take off all contaminated clothing. Wash with plenty of water/ soap and rinse thoroughly until medical aid is available. Gently blot or brush away excess product. Wash contaminated clothing before re-use or discard.	
Inhalation	Immediately call a POISON CONTROL CENTER or seek medical attention. Take precautions to ensure your own safety. Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing has stopped, trained personnel should begin rescue breathing. Avoid mouth-to-mouth contact by using a barrier device. If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).	
Ingestion	Immediately call a POISON CONTROL CENTER or seek medical attention. Rinse mouth and do not induce vomiting. If breathing has stopped, trained personnel should begin rescue breathing. Avoid mouth-to- mouth contact by using supplied air/ barrier device. If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).	
Most important symptoms and effects, both acute and delayed		
Symptoms	Eye, Skin, and Respiratory Irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.	

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing media Do not use water stream, as this may spread fire.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion data Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

#### Protective equipment and precautions for firefighters

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear recommended personal protective equipment. Ensure adequate ventilation. Ensure air handling systems are operational.

Environmental precautions

**Environmental precautions** Should not be released into the environment. Prevent from reaching drains, sewer or waterway.

#### Methods and material for containment and cleaning up

Methods for containment & Clean-	Wear protective eye wear, gloves and clothing.
up	Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid
	binders, universal binders).
	Dispose of contents/ container in accordance with local regulations.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling	Use appropriate personal protective equipment (see Section 8).
	Use only with adequate ventilation.
	Avoid breathing mist or vapor.
	Do not eat, drink, smoke or use personal products when handling chemical substances.
	Wash thoroughly after handling.
	Do not swallow.
	Do not get in eyes, on skin, or on clothing.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in a cool, well-ventilated area. Protect from freezing and physical damage. Keep container tightly sealed. Hold bulk storage under a nitrogen blanket.
Incompatible materials	Keep away from strong oxidizing agents, heat or flames. Store in steel or poly containers.

Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters		
Exposure Guidelines	Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental Exposure Levels (WEEL).	
Appropriate engineering controls		
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.	
Skin and body protection	Select glove material impermeable and resistant to the substance. Suitable gloves can be ' recommended by supplier.	
Respiratory protection	Respiratory protection should be worn when there is a potential to exceed the exposure limit, applicable exposure limit requirements or guidelines, use a NIOSH-approved respirator.	
General Hygiene Considerations	Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reusing.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	liquid Colorless to yellowish. Transparent Liquid - May have slight color due to performance additives.	Odor Odor threshold	Slight No data available
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> Not Relevant Not Available Not Applicable	<u>Remarks • Method</u>	
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	212 °F Not Available Not Relevant	CC (closed cup)	
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density	No data No data Not Available Not Available .99 @ 70 Degrees F		
Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Insoluble in water Not Available Not Available Not Available Not Available Not Available Not Available		

Dynamic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available
Other Information	

Softening point Molecular weight VOC Content (%) Density Bulk density Not Relevant Not Available < 50 g/L (Mixed A&B) Not Available Not Available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Does not react under normal conditions of use and storage.

#### Chemical stability

Stable under normal conditions of use and storage.

# Possibility of Hazardous Reactions

None under normal conditions of use and storage.

## Conditions to avoid

Heat, flames and sparks.

# Incompatible materials

Strong oxidizing agents. Strong alkali. Strong acids. Peroxides and other radical forming substances.

#### **Hazardous Decomposition Products**

Carbon monoxide, carbon dioxide, Nitrogen oxides.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Eye contact, skin contact, inhalation & ingestion

# **Product Information**

Eyes	Acute – Severe irritant. May cause burns. Vapor may cause lacrimation and reversible corneal edema. Chronic – Conjunctivitis or corneal damage.
Skin Contact	Acute – Undiluted product quickly causes irritation. May cause chemical burns. Chronic – May cause allergic reaction/sensitization. Defatting of skin, rash and irritation.
Skin Absorption	Acute – Not Determined Chronic – Not Determined
Inhalation	Acute – Vapors may cause damage to contacted tissue and produce scarring. Chronic – Repeated and/or prolonged exposures can cause tightness of chest, shortness of breath and cough.
Ingestion	Acute – May cause irritation and bleeding of the gastrointestinal tract Chronic – Scarring of the affected tissues may occur
Acute Toxicity	No data on the product itself

#### **Acute Oral Toxicity Components**

(propyl glycol) bis(2-aminopropyl LD50: 2885 mg/kg - Species: Rat

ether) 1,3 Cyclohexanamine Benzyl Alcohol	LD50: 700 mg/kg - Species: Rat LD50: 1230 mg/kg - Species: Rat
Acute Dermal Toxicity Components (propyl glycol) bis(2-aminopropyl	LD50: 2980 mg/kg - Species: Rabbit
ether) 1,3 Cyclohexanamine Benzyl Alcohol	LD50: 1700 mg/kg - Species: Rabbit LD50: 2000 mg/kg - Species: Rabbit
Acute Inhalation Toxicity Components (propyl glycol) bis(2-aminopropyl ether)	LC50: (4 HR): > 0.74 mg/l - Species: Rat
Benzyl Alcohol Skin Corrosion/Irritation	LC50: (4 HR): > 4.178 mg/l - Species: Rat OECD TEST GUIDELINE 403 DOT Skin Corrosion Study: Corrosive in all rabbits at 3 minutes exposure
Serious Eye Damage/Eye Irritation	Severe eye irritation
Sensitization	Buehler skin sensitization (Guinea pigs): No evidence of sensitization at 5%
For Respiratory Sensitization	Not determined
Specific Target Organ Systemic Toxicity (Single Exposure)	Not determined
Specific Target Organ Systemic Toxicity (Repeated Exposure)	Not determined
Carcinogenic Data	NTP: None OSHA: None

# **12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic Toxicity	No data on the product itself		
Acute Toxicity to Fish – Components			
(propyl glycol) bis(2-aminopropyl ether)	LC50: (96 HRS) 772 mg/l - Species: Fish		
1,3 Cyclohexanamine Benzyl Alcohol	LC50: (96 HRS) 130 mg/l - Species: Golden Orfe LC50: (96 HRS) 460 mg/l - Species: Fathead Minnow		
Acute Toxicity to Aquatic			
Invertebrates – Components (propyl glycol) bis(2-aminopropyl	EC50: (48 HRS) 80 mg/l - Species: Daphnia Magna		
ether) 1,3 Cyclohexanamine Benzyl Alcohol	EC50: (72 HRS) 33.1 mg/l - Species: Daphnia Magna EC50: (72 HRS) 12 mg/l - Species: Daphnia Magna		

Acute Toxicity to Algae/Aquatic Plants – Components			
(propyl glycol) bis(2-aminopropyl ether)	EC50: (72 HRS) 15 mg/l - Species: Fresh Water Algae		
1,3 Cyclohexanamine Benzyl Alcohol	EC50: (72 HRS) 56.7 mg/l - Species: Fresh Water Algae EC50: (72 HRS) 700 mg/l - Species: Fresh Water Algae		
<b>Toxicity to Bacteria – Components</b> (propyl glycol) bis(2-aminopropyl ether)	EC50: 310 mg/l - Species: Activated Sludge		
1,3 Cyclohexanamine	EC50: > 1000 mg/l - Species: Activated Sludge		
Chronic Aquatic Toxicity Chronic Toxicity to Aquatic Invertebrates	Long lasting adverse effects to aquatic organisms		
Persistence and Degradability Biodegradability Biodegradation Exposure Time Method	Not Biodegradable 0% 28 days OECD Test guideline 301B or equivalent		
Bioaccumulative Potential Bioaccumulation Partition Coeffecient: N- Octanol/Water (LOG Pow)	1.34		
Mobility in Soil	Not determined		
	13. DISPOSAL CONSIDERATIONS		

# Waste treatment methods

**Relevant Information** 

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies.

# **14. TRANSPORT INFORMATION**

DOT UN/ID no. Proper shipping name Hazard Class Packing Group	2735 Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine) 8 III
IATA UN/ID no. Proper shipping name Hazard Class Packing Group	2735 Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine) 8 III
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group	2735 Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine) 8 III

# 15. REGULATORY INFORMATION

Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed.				
Canada Canadian Domestic Substance List (DSL)	One of more ingredients are not listed.			
Australia Australian Inventory of Chemical Substances (AICS)	One or more ingredients are not listed.			
China Inventory of Existing Chemical Substances in China (IECSC)	All ingredients are listed.			
Japan Inventory of Existing and New Chemical Substances (ENCS)	One or more ingredients are not listed.			
Korea Existing Chemicals List (ECL)	All ingredients are listed.			
New Zealand New Zealand Inventory of Chemicals (NZOIC)	One or more ingredients are not listed.			
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS)	One or more ingredients are not listed.			
Taiwan Taiwan Chemical Substance Inventory (TSCI)	All ingredients are listed.			

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u> HMIS	Health hazards 3 Health hazards 3	Flammability 1 Flammability 1	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal protection X
Issue Date Date Revision Note	6-July-202	1		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet