

# SAFETY DATA SHEET

Issue Date 3-1-2022 Revision Date Version 2

## 1. IDENTIFICATION

**Product identifier** 

Product Name PRO THANE 300 - Part B

Recommended use of the chemical and restrictions on use

Recommended Use Concrete Coating.

Uses advised against No Data

Details of the supplier of the safety data sheet

**Distributor Address** 

Concrete Technology Inc. 8770 133rd Ave N. Largo, FL 337731

**Emergency telephone number** 

Company Phone Number 800-447-6573

24 Hour Emergency Phone Number 800-424-9300 (United States & Canada), International Call: 1-703-527-3887

## 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 2
Flammable liquids Category 2, Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	

## **Label elements**

## **Emergency Overview**

## Danger!

#### Hazard statements

Toxic to Aquatic Life with Long Lasting Effects

Causes Serious Eye Irritation

May Cause Respiratory Irritation

May Cause Drowsiness or Dizziness

May be Harmful if Swallowed

May be Harmful if Swallowed and Enters Airways

Causes Skin Irritation



Appearance Transparent Liquid

Physical state liquid

**Odor** Solvent

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/ .? / equipment

Use only non-sparking tools

Take action to prevent static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation occurs: Get medical advice or attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor

Do NOT induce vomiting.

Take off contaminated clothing and wash before reuse

In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish.

Collect spillage

#### **Precautionary Statements - Storage**

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/regional/national regulations.

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

#### **Other Information**

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Polyhexamethylene Diisocyanate	28182-81-2	30 - 60	*
p-chloro-a,a,a-trifluorotoluene	98-56-6	10 - 30	*
Petroleum naphtha, light aromatic	64742-95-6	10 - 30	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the

doctor in attendance.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash off immediately with soap and plenty of water. If skin irritation

persists, call a physician.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms

persist, call a physician.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Eye, Skin, and Respiratory Irritation. May cause allergic skin reaction.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

#### **Explosion data**

Sensitivity to Mechanical Impact Not available.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

#### Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. P261 - Avoid breathing

dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### **Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains

or waterways.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up

Use a non-combustible material like vermiculite or sand to soak up the product and place

into a container for later disposal. Use clean non-sparking tools to collect absorbed

material. Dispose according to local regulations.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Do not handle until all safety precautions have been read and understood. Avoid contact

with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent the buildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective

clothing/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Guidelines Petroleum Naphtha, Light Aromatic, CAS# 64742-95-6: OSHA 100 ppm TWA.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
p-chloro-a,a,a-trifluorotoluene	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	-
98-56-6		TWA: 2.5 mg/m <sup>3</sup> dust	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	

## **Appropriate engineering controls**

**Engineering Controls** General/Local Ventilation Recommended.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash

skin immediately upon contact. Wash hands at mealtime and end of shift.

**Respiratory protection**Use respiratory protection unless adequate local exhaust ventilation is provided, or

exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29)

CFR 1910.134) and use NIOSH/MSHA approved respirators.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical state** liquid

**Appearance** Transparent Liquid Odor Solvent

Color Transparent Liquid - May have slight **Odor threshold** No data available

color due to performance additives.

**Property Values** Remarks • Method Not Relevant

pН

Melting point / freezing point Not Available Boiling point / boiling range 139°C

< 42 °C Flash point 108 °F CC (closed cup)

**Evaporation rate** Not Available Flammability (solid, gas) Not Relevant

Flammability Limit in Air

Upper flammability limit: Not Available Transparent Liquid Lower flammability limit: Not Available Transparent Liquid Vapor pressure Not Available Transparent Liquid Vapor density Not Available Transparent Liquid

Relative density 1.073 @ 70 Degrees F Water solubility Insoluble in water

Solubility in other solvents Not Available **Partition coefficient** Not Available

**Autoignition temperature** 377 °C (ASTM E659)

**Decomposition temperature** Not Available Transparent Liquid

Kinematic viscosity Not Available Not Available **Dynamic viscosity Explosive properties** Not Available **Oxidizing properties** Not Available

#### **Other Information**

Softening point Not Relevant Molecular weight Not Available

**VOC Content (%)** < 250 g/L (Mixed A&B)

**Density** Not Available **Bulk density** Not Available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Not Available

#### **Chemical stability**

Stable.

#### **Possibility of Hazardous Reactions**

No data available.

### **Conditions to avoid**

Heat, flames and sparks.

### Incompatible materials

Keep away from strong oxidizing agents, strong alkalis, and strong acids.

## **Hazardous Decomposition Products**

Hazardous decomposition products formed under fire conditions, carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Direct contact and vapor inhalation.

**Eye contact** Direct contact.

**Skin contact** Direct contact.

**Ingestion** Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polyhexamethylene Diisocyanate 28182-81-2	-	-	= 18500 mg/m³ (Rat)1 h
p-chloro-a,a,a-trifluorotoluene 98-56-6	= 13 g/kg (Rat)	> 2 mL/kg (Rabbit)	= 33 mg/L (Rat)4 h
Petroleum naphtha, light aromatic 64742-95-6	-	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h = 3400 ppm (Rat) 4 h

#### Information on toxicological effects

**Symptoms** May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes

serious eye irritation. Causes skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Irritating to skin.

Serious eye damage/eye irritation
Irritation
Irritating to eyes. Risk of serious damage to eyes.
Irritating to eyes, respiratory system and skin.

Sensitization
May cause sensitization by inhalation.

Germ cell mutagenicity No data available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Not Available.
Not Available.
Not Available.

## Numerical measures of toxicity - Product Information

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
p-chloro-a,a,a-trifluorotoluene	-	11.5 - 15.8: 48 h Lepomis	3.68: 48 h Daphnia magna mg/L
98-56-6		macrochirus mg/L LC50 static	EC50
Petroleum naphtha, light aromatic	-	9.22: 96 h Oncorhynchus mykiss	6.14: 48 h Daphnia magna mg/L
64742-95-6		mg/L LC50	EC50

## Persistence and degradability

No data available.

#### **Bioaccumulation**

No data available.

Chemical Name	Partition coefficient
p-chloro-a,a,a-trifluorotoluene	3.7
98-56-6	

Other adverse effects No data available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance **Disposal of wastes** 

with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a

licensed professional waste disposal service to dispose of this material.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT Not Regulated

**IATA** UN1263, PAINT RELATED MATERIAL, 3, II

**IMDG** UN1263, PAINT RELATED MATERIAL, 3, II

## 15. REGULATORY INFORMATION

## **International Inventories**

**TSCA** Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply Does not comply **IECSC** Does not comply **KECL PICCS** Does not comply **AICS** Does not comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** Yes

Fire hazard Yes
Sudden release of pressure hazard Yes
Reactive Hazard No

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## US State Regulations

#### **California Proposition 65**

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

## U.S. State Right-to-Know Regulations

#### **U.S. EPA Label Information**

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

**Issue Date** 3-1-2022

**Revision Date Revision Note** 

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**