

SAFETY DATA SHEET

Issue Date 29-Apr-2018 Revision Date 29-April-2018 Version 1

1. IDENTIFICATION

Product identifier

Product Name EZ Armor Epoxy B

Other means of identification

 Product Code
 002EZAB

 UN/ID no.
 2735

Synonyms

Recommended use of the chemical and restrictions on use

Recommended Use Concrete Coating.

Uses advised against No Data

Details of the supplier of the safety data sheet

Manufacturer Address

Concrete Technology Inc., 8770 133rd Ave. N., Largo, FL 33773

Emergency telephone number

Company Phone Number (727) 535 4651

24 Hour Emergency Phone Number 800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4	
Acute toxicity - Dermal	Category 2	
Acute toxicity - Inhalation (Vapors)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Skin sensitization	Category 1	
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2		

Label elements

Emergency Overview

Hazard statements

Toxic to Aquatic Life with Long Lasting Effects

Harmful if inhaled

Harmful if swallowed

Fatal in contact with skin

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction



Appearance Colorless to yellowish.

Physical state liquid

Odor Slight

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Avoid release to the environment

Precautionary Statements - Response

Collect spillage

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN:

IF ON CLOTHING

Immediately call a POISON CENTER or doctor/physician

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED

Immediately call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED

Rinse mouth

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Absorb spillage to prevent material damage

Collect spillage

Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Benzyl alcohol	100-51-6	30 - 60	*
1,3-Cyclohexanedimethanamine	2579-20-6	15 - 40	*
Proprietary	TRADE SECRET	10 - 30	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the

doctor in attendance.

Eye contact If eye irritation persists: Get medical advice/attention. IF IN EYES: If contact with eyes,

immediately hold eyelids apart and flush with plenty of water for at least 15 min.

Skin contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms

persist, call a physician.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms Eye, Skin, and Respiratory Irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion data

Sensitivity to Mechanical Impact Not available.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Revision Date 29-April-2018

Personal precautions, protective equipment and emergency procedures

Personal precautions P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation,

especially in confined areas. Wear protective gloves/protective clothing and eye/face

protection.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains

or waterways.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Prevent

material from entering surface waters, drains or sewers and soil. Contain any fluid that runs

out using suitable material (e.g. earth).

Methods for cleaning upUse a non-combustible material like vermiculite or sand to soak up the product and place

into a container for later disposal. Use clean non-sparking tools to collect absorbed

material. Dispose according to local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well ventilated place. Containers which are

opened must be carefully resealed and kept upright to revent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95

degrees F/35 degrees C.

Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental

Exposure Levels (WEEL).

Appropriate engineering controls

Engineering Controls General/Local Ventilation Recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash

skin immediately upon contact. Wash hands at mealtime and end of shift.

Respiratory protectionUse respiratory protection unless adequate local exhaust ventilation is provided or

exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29)

CFR 1910.134) and use NIOSH/MSHA approved respirators.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Appearance Colorless to yellowish. Odor Slight

Color Transparent Liquid - May have slight **Odor threshold** No data available

color due to performance additives.

Property Values Remarks • Method

На Not Relevant Melting point / freezing point Not Available Boiling point / boiling range Not Applicable

Flash point 104 °C 465 °F CC (closed cup)

Evaporation rate Not Available Flammability (solid, gas) Not Relevant

Flammability Limit in Air

Upper flammability limit: No data Lower flammability limit: No data Vapor pressure Not Available Vapor density Not Available

Relative density 1.08 @ 70 Degrees F Water solubility Insoluble in water Solubility in other solvents Not Available Not Available Partition coefficient **Autoignition temperature** Not Available **Decomposition temperature** Not Available Kinematic viscosity Not Available Not Available **Dynamic viscosity Explosive properties** Not Available **Oxidizing properties** Not Available

Other Information

Softening point Not Relevant Molecular weight Not Available **VOC Content (%)** 0 q/L

Density Not Available Not Available **Bulk density**

10. STABILITY AND REACTIVITY

Reactivity

Not Available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing. Vapors may travel to a source of ignition and flash back.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Keep away from strong oxidizing agents, strong alkalis, and strong acids.

Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions, carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Direct contact and vapor inhalation.

Eye contact Direct contact.

Skin contact Direct contact.

Ingestion Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
1,3-Cyclohexanedimethanamine 2579-20-6	= 880 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms May cause an allergic skin reaction.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Irritating to eyes. Risk of serious damage to eyes. Irritating to eyes, respiratory system and skin.

Sensitization May cause sensitization by inhalation.

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No data available.
No Data Available.
Not Available.
Not Available.
Not Available.
Not Available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

No available data.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol	35: 3 h Anabaena variabilis mg/L	460: 96 h Pimephales promelas	23: 48 h water flea mg/L EC50
100-51-6	EC50	mg/L LC50 static 10: 96 h Lepomis	
		macrochirus mg/L LC50 static	

Persistence and degradability

No data available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Benzyl alcohol	1.1
100-51-6	

Revision Date 29-April-2018

Other adverse effects No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT

UN/ID no. 2735
Hazard Class 8
Packing Group III

Marine pollutant No available data.

UN/ID no. 2375
Hazard Class 8
Packing Group III

UN/ID no. 2735

Proper shipping name 2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)

Hazard Class 8
Packing Group III

UN/ID no. 2735
Hazard Class 8
Packing Group III

IATA

UN/ID no. 2735

Proper shipping name 2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)

Hazard Class 8
Packing Group III

IMDG

UN/ID no. 2735

Proper shipping name 2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)

Hazard Class 8
Packing Group III

UN/ID no. 2735 Hazard Class 8 Packing Group III

UN/ID no. 2735
Hazard Class 8
Packing Group III

UN Number 2735

Revision Date 29-April-2018

Hazard Class 8 **Packing Group** Ш

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply AICS Does not comply

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No Data Available **Chronic Health Hazard** No Data Available

Fire hazard Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

unknown

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 1 **Physical and Chemical**

Properties -HMIS Health hazards 3 Flammability 1 Physical hazards 1 Personal protection X

 Issue Date
 29-April-2018

 Revision Date
 29-April-2018

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet