

SAFETY DATA SHEET

Issue Date Date 6-July-2021 Version 1

1. IDENTIFICATION

Product identifier

Product Name EZ Armor Extended Cure - Part A

Recommended use of the chemical and restrictions on use

Recommended Use Concrete Coating

Uses advised against No Data

Details of the supplier of the safety data sheet

Manufacturer Address

Concrete Technology Inc. 8770 133rd Ave N. Largo, FL 33773

Emergency telephone number

Company Phone Number 800-447-6573

24 Hour Emergency Phone Number 800-424-9300 (United States & Canada), International Call: 1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2	

Label elements

Emergency Overview

Warning

Hazard statements

H312: Harmful in contact with skin

H317: May cause an allergic skin reaction

H412: Harmful to aquatic life with long lasting effects



Appearance Colorless to yellowish.

Physical state liquid

Odor Slight

Precautionary statements

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P271: Use only in well ventilated area. P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P337+P313: If eye irritation persists: Get medical advice/attention.

P370+P378: In case of fire: Use for extinction: CO2, powder or water spray.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

Other Hazards

PBT: Not applicable vPvB: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
4,4'-Isopropylidenediphenol-Epichlorohydrin Copolymer	25068-38-6	60 - 100	*
2,2'-[(2,2-Dimethyl-1,3-propanediyl)bis(oxymethylene)]bisoxirane	17557-23-2	10 - 30	*
Nonylphenol	25154-52-3	1 - 15	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Additional information: Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

4. FIRST AID MEASURES

Description of first aid measures

General advice Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the

doctor in attendance.

Eye contact IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash off immediately with soap and plenty of water. If skin irritation

persists, call a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms

persist, call a physician.

Ingestion IF SWALLOWED: If product is swallowed, call physician or poison control center for most

current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or

SDS with the victim to the health professional.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: This material may cause irritation to skin and eyes. Product may cause an allergic

skin reaction. Chronic: Prolonged or repeated skin contact may cause allergic skin reaction

or dermatitis.

Target Organs:
Acute: Eye, Skin
Chronic: Skin

Hazards: Pre-existing skin or eye problems may be aggravated by exposure to this

product.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion data

Sensitivity to Mechanical Impact Not available.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. P261 - Avoid breathing

dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wear protective gloves/protective clothing and eye/face

protection.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains

or waterways.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up

Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after

handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated

location. Remove contaminated clothing immediately.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95

degrees F/35 degrees C.

Incompatible materialsKeep away from strong oxidizing agents, strong alkalis, and strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

Control Parameters

Ingredients with limit values that require monitoring at the workplace:

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

Exposure Controls

Personal protective equipment:

General protective and hygienic measures:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory protection:

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

AppearanceColorless to yellowish.OdorSlight

Color Transparent Liquid - May have slight Odor threshold No data available

color due to performance additives.

Property Values Remarks • Method

pH Not Relevant
Melting point / freezing point
Boiling point / boiling range Not Applicable

Flash point 230 °F CC (closed cup)

Evaporation rate Not Available Flammability (solid, gas) Not Relevant

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Available
Not Available
1.11 @ 70 Degrees F

Water solubility Insoluble in water Solubility in other solvents Not Available Partition coefficient Not Available **Autoignition temperature** Not Available **Decomposition temperature** Not Available Kinematic viscosity Not Available Dynamic viscosity Not Available **Explosive properties** Not Available **Oxidizing properties** Not Available

Other Information

Softening pointNot RelevantMolecular weightNot Available

VOC Content (%) < 50 g/L (Mixed A&B)

Density

Bulk density

Not Available
Not Available

10. STABILITY AND REACTIVITY

Reactivity

Not Available

Chemical stability

Stable

Possibility of Hazardous Reactions

No data available

Conditions to avoid

Contact with incompatible materials

Incompatible materials

Oxidizing agents and amines should be avoided as these will cause exothermic polymerization. Avoid extreme heat.

Hazardous Decomposition Products

Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects: Toxicity data is available for this product.

Acute Toxicity

Acute Dermal	LD 50	> 20,000 mg/kg	Rabbit
Acute Oral	LD 50	> 5,000 mg/kg	Rat

Primary irritant effect: Contact with this product can be irritating to exposed skin and eyes.

Sensitization: This product is considered a skin sensitizer.

Additional toxicological information: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

Reproductive toxicity information: No information concerning the effects of this product and its components on the human reproduction system.

12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No evidence is currently available on this product's effects on aquatic life.

Component Data: CAS# 25085-99-8 Fathead Minnow LC50 3 mg/l 96 h

Toxicity to daphnia magna EC50 1.4 -1.7 mg/l 24 h

Bacteria: IC50 >42.6 mg/l 18 h Biodegradation: 28 days 12% OECD Bioaccumulation: Not readily biodegradable

Persistence and degradability: No data available

Bio accumulative potential: No data available

Mobility in soil: No evidence is currently available on this product's effects on plants or animals.

Ecotoxical effects:

Remark:

Additional ecological information: No data available

General notes: No specific data is available for this product; however, this product is expected to be readily biodegradable

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

Marine pollutant Material is expected to be harmful to aquatic organisms. May cause long-term adverse

effects in the aquatic environment.

IATA

<u>U</u>N/ID no. 3082

Proper shipping name Environmentally Hazardous Substance liquid, N.O.S. (Bisphenol A epoxy resin)

Hazard Class 9
Packing Group III

IMDG

UN/ID no. 3082

Proper shipping name Environmentally Hazardous Substance liquid, N.O.S. (Bisphenol A epoxy resin)

Hazard Class 9
Packing Group III

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture. United States (USA)

SARA: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.: None

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Toxic Release Inventory): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients is listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed

Canadian Ingredient Disclosure list (limit 0.1%): None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%): None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and

Chemical Properties

HMIS Health Hazards 2 Flammability 1 Physical Hazards 0 Personal Protection

Χ

Issue Date

Date 6-July-2021

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet